



Fonts personalizzati e Google fonts

Sviluppo di siti web

prof. Giovanni Borga

Regola CSS

```
@font-face {  
    font-family: myFirstFont;  
    src: url(sansation_light.woff);  
}
```

Il file del font è un file di tipo **WOFF** e deve essere inserito con il percorso corretto come per tutti i riferimenti esterni.

HTML

```
<div style= "font-family: myFirstFont;">
```

Opzioni

Font descriptor	Values	Description
font-family	<i>name</i>	Required. Defines the name of the font.
src	<i>URL</i>	Required. Defines the URL(s) where the font should be downloaded from
font-stretch	normal condensed ultra-condensed extra-condensed semi-condensed expanded semi-expanded extra-expanded ultra-expanded	Optional. Defines how the font should be stretched. Default value is "normal"
font-style	normal italic oblique	Optional. Defines how the font should be styled. Default value is "normal"
font-weight	normal bold 100 ... 900	Optional. Defines the boldness of the font. Default value is "normal"
unicode-range	<i>unicode-range</i>	Optional. Defines the range of unicode characters the font supports. Default value is "U+0-10FFFF"

Esempio

```
@font-face {  
    font-family: myFirstFont;  
    src: url(sansation_bold.woff);  
    font-weight: bold;  
}
```

Google fonts

The screenshot shows the Google Fonts homepage with a search bar at the top. Below the search bar, there are several font families displayed in a grid format. Each font family entry includes the font name, the designer's name, the number of styles, and a red '+' button. Below each entry, there is a preview of text and a 'SEE SPECIMEN' button.

Font Families:

- Roboto by Christian Robertson (12 styles)
- Inknut Antiqua by Claus Eggers Sørensen (7 styles)
- BioRhyme by Aoife Mooney (5 styles)
- Open Sans by Steve Matteson (10 styles)
- Lato by Lukasz Dziedzic (10 styles)
- Slabo 27px by John Hudson (1 style)

Search and Filters:

- Categories:** Serif, Sans Serif, Display, Handwriting, Monospace
- Sorting:** Trending
- Languages:** All Languages
- Number of styles:** Range slider from 0 to 100+ (set to 0)
- Thickness:** Range slider from 0 to 100+ (set to 0)
- Slant:** Range slider from 0 to 100+ (set to 0)

Riferimenti web

Tutorial W3School:

https://www.w3schools.com/cssref/css3_pr_font-face_rule.asp

Google fonts:

<https://fonts.google.com/>